




POLYVERSE



Gatekeeper

By

**INFECTED
MUSHROOM**

User Manual V1.2

<http://polyversemusic.com/support>
support@polyversemusic.com

Gatekeeper User Manual

Table of Contents

Getting Started	4
Installation	4
Presets	5
With or Without MIDI?	5
Ableton Live	6
Logic X	7
Pro Tools	8
Cubase	9
FL Studio	10
Sonar	11
USER INTERFACE	12
Overview	12
Envelope Selector and MIDI Controls	13
Envelope Trigger & Grid Controls	14
Envelope/Node Creation Tools	16
Envelope Modulation Controls	19
MIDI Modulation Control Panel	20
Input/Output Control Bar	21
Additional Features & Important Information	22
Keyboard Shortcuts	23

Gatekeeper: The Infinitely-Customizable Volume Modulator.

Thanks for purchasing Infected Mushroom's Gatekeeper, made by Polyverse Music!

Gatekeeper is a volume modulator capable of producing sequenced volume patterns, MIDI gates, stutter effects, pseudo-sidechain (ducking) effects, planned dynamics, creative gain clipping, and much more. It is unmatched as an "in-your-face" gate and is without a doubt the punchiest, most dynamically versatile volume tool on the market.

Gatekeeper can produce CV output for external hardware, boost signal for a distorted clipping effect, and smooth signal so that even the most drastic gates have no clicks or pops. Its most impressive quality is its versatility: it can act as an LFO, an envelope, a step sequencer, and more while creating sample-accurate automation.

Gatekeeper supports VST / AU / AAX plug-in formats.

Getting Started

Installation

To install Gatekeeper, simply run the installer and follow the instructions on screen. For free tutorials and videos about setting up and using Gatekeeper with your favorite DAW (Digital Audio Workstation), please visit our website at

<http://polyversemusic.com/support>

When using Gatekeeper for the first time, a registration dialog will appear. Drag and drop the key file you have received in your purchase confirmation e-mail onto the dialog box.



If you've lost your confirmation email, you can re-request one from our support page at <http://polyversemusic.com/support>.

Presets



To browse Presets, click the Left/Right arrows located on either side of the Presets Bar. Clicking directly on the Presets Bar will

open a pop-up menu which allows you to browse through the folders of factory presets, save an original preset, or load a new preset bank.

Note: the user's original presets are saved to the myPresets folder.

Saved presets can be found in the following locations:

MAC: <user>/Library/PolyVerse/Gatekeeper/Gatekeeper-Presets.ppb

PC: \Users\<user>\AppData\Roaming\PolyVerse\Gatekeeper\Gatekeeper-Presets.ppb

With or Without MIDI?

Gatekeeper can be inserted into audio or instrument tracks just like any audio effect. However, some of its features involve responding to MIDI notes and MIDI CC messages.

If you would like to use Gatekeeper as a regular effect, just load it in one of the insert slots on your DAW, and you're done!

If you want to use MIDI to separately trigger the envelopes manually, please refer to the following pages for instructions on routing MIDI within your specific DAW.



Ableton Live

- Click the "I-O" button to show the input and outputs.
- Create an audio track, and add some audio onto it.
- Add Gatekeeper onto the audio track.
- Create a blank MIDI track.
- Set the MIDI track's output to the audio track with Gatekeeper .
- While audio is flowing through Gatekeeper , play some MIDI notes on your virtual or external keyboard controller.
- Switch off "Auto play"




Logic X

- Open an instrument track.
- Click on the instrument slot to select Gatekeeper.
- Open a new audio track and place your audio file inside it.
- Open the Gatekeeper plugin interface. In the top right, select your sidechain input to be the same as the audio track.
- Mute the audio track, as its signal is now being routed through Gatekeeper.
- Select/Enable the plugin's instrument track.
- Play some MIDI notes as the audio streams through the plug-in.
- Switch off “Auto play”





Pro Tools

- Create a new audio track
- Add Gatekeeper as an insert effect
- Place an audio file in the track
- Create a new MIDI track
- Route the MIDI track's output to the plug-in
- Arm the MIDI track
- Play some MIDI notes as the audio streams through the plug-in.
- Switch off "Auto play"





Cubase

- Add an audio track
- Add Gatekeeper as an insert effect
- Place an audio file in the track
- Add a MIDI track
- Set the MIDI track's output to the Gatekeeper plugin.
- Play some MIDI notes as the audio streams through the plug-in.
- Switch off “Auto play”






FL Studio

- Drag an audio file to your playlist and route it to “Track 1” on the mixer.
- Load Gatekeeper as an insert on “Track 1” on your mixer.
- Open a “MIDI Out” plug-in and set the Port to 1.
- Set the Gatekeeper MIDI input port to 1 as well
- Select the “MIDI Out” channel,
- Play some MIDI notes as the audio streams through the plug-in.
- Switch off “Auto play”




Sonar

- Configure Gatekeeper as a synth in “Cakewalk Plug-in Manager”
- Import an audio file to an audio track ,
- Inset Gatekeeper as a “soft synth” on that track.
- Create a new MIDI track,
- Set the MIDI track’s output to I Wish .
- Play some MIDI notes as the audio streams through the plug-in.
- Switch off “Auto play”



USER INTERFACE

Overview



① Envelope Selector & MIDI Controls

② Presets Browser

③ Envelope Grid


④ Envelope Trigger and Grid Controls

⑤ Envelope/Node Creation Tools

⑥ Envelope Modulation Controls

⑦ Input/Output Control Bar

Envelope Selector and MIDI Controls



① **Envelope Enable/Disable On/Off** - enable or disable the 8 individual envelopes.

② **Envelope Selectors** - select one of the 8 envelopes for editing. Combine the envelopes to create panning effects, polyrhythms, layered parts or trigger them separately

③ **Show All Enabled Envelopes** - offers a toggled background view of all enabled envelopes.

④ **MIDI Note Learn** - this allows an envelope to respond only to the keys you teach it. Click the button to enter “Learn Mode” (the button will become highlighted). Play your desired MIDI notes. You can play as many notes as you like in whichever order you choose. When finished, click the button again to exit “Learn Mode”. The envelope will now be triggered only by the notes you have chosen.


When no notes are “learned”, the envelope will be triggered by any note pressed.

QUICK TIP




Using the **MIDI Note Learn** feature it is possible to assign 8 different envelopes to 8 different notes, and also to assign a single key to trigger any combination of envelopes for stereo effects or building complex polyphonic envelopes.

Envelope Trigger & Grid Controls



① **AutoPlay** - When engaged, the envelope will trigger and repeat continuously. When on, the envelope will ignore MIDI input.

② **Envelope Mode** - When enabled, moving a node will automatically shift all following nodes (like an envelope would). When disabled, each node can only be moved within the space between its surrounding nodes. The maximum time between nodes is 10 seconds.



③ **Sustain Loop** - allows you to set an internal loop within the envelope as defined by the Loop Start and Loop End points. These Start and End points can only exist on a node. To define the loop start and end points, simply right-click on a node and select “Loop Start” or “Loop End”. You can also easily drag the handles of the loop markers to your desired nodes. Loop start and end nodes will snap to the same amplitude when moved to avoid clicks.

When using MIDI notes to trigger the envelope, The envelope will iterate through the segments. When it reaches the Sustain Loop, it will loop until the note is released. Gatekeeper will then play the remainder of the envelope that follows the Loop End point. When the sustain loop is off, it will play a one shot version of the envelope - from start to end - ignoring “note off” signals. Overlapping notes will not retrigger the envelope (Legato).

When on auto play, the envelope will only loop between the loop boundaries.

QUICK TIP



The sustain loop is a handy tool for midi envelopes. Try drawing an LFO between the loop points on an ADSR style envelope for a more interesting sustain stage

④ **Snap** - When enabled, notes will snap to Gatekeeper's grid. You can also easily toggle Snap on and off by typing "S" on your keyboard.


⑤ **Grid** - the Grid can be set to note values ranging from one full bar down to 128th notes. It can also be displayed in "TIME" by seconds. Click and drag up or down on the note value to adjust the Grid. You can also double-click to type in custom grid values.

The Grid can be modified by activating (D) Dotted, (T) Triplet, or Swing. When Grid is set to TIME value and AutoPlay is active, the envelope will not sync to your Host BPM.



Grid Swing - Applies a swing or shuffle rhythm to the Grid. Applying Swing does not move nodes. Use Quantize (press q) to quantize nodes to the Grid.

Envelope/Node Creation Tools



Edit Tool - The main tool for Gatekeeper. It allows you create, select, and move nodes within the Envelope Grid.

Create a new node	Click anywhere along the line segments Double click on the background of the envelope
Delete a node	Double click the node Select the node(s) and press backspace or delete
Move a node	Click and drag the node
Change the curve	<ul style="list-style-type: none">• Right-click or Control-click along the line segments and drag
Zoom In / Out	<ul style="list-style-type: none">• Use the mouse wheel• Right click on the background of the envelope and drag up/down (this provides a stepped zoom in/out so you can keep your scrolling position easily)• Use shortcuts: “[“ and “]” or “↑” and “↓”
Scroll left/right	<ul style="list-style-type: none">• Right click on the background of the envelope and drag left/right• If you have a trackpad or a compatible mouse - scroll left and right• Use shortcuts: “,” and “.” or “→” and “←”
Select Nodes	<ul style="list-style-type: none">• Click the background of the envelope and drag to select• Shift + click the nodes <p>Once nodes are selected, you may copy, paste, delete, automate, boost and quantize.</p>

Scale Nodes

- Select more than one node (you may also select only the beginning and end of the section you would like to scale)
- Press shift, and then click drag a node to scale the selection
- Grabbing the nodes on the left will scale to the right, while grabbing nodes on the right will scale to the left.
- Grabbing top nodes will expand the amplitude range while grabbing the bottom will compress it

Copy

Select the nodes you want to copy and:

- Right click > select Copy
- Type “c” on your keyboard

Note: This will only work when two or more nodes are selected

Paste

Select the node you want to paste at or select two nodes to paste between and:

- Right click > select Paste
- Type “v” on your keyboard

This is only work when there is a copied shape

Duplicate

Select the nodes you want to duplicate and:

- Type “d” on your keyboard

This will only work when two or more nodes are selected

Undo

- Right click > select Undo
- Type “u” on your keyboard

Redo

- Right click > select Redo
- Type “r” on your keyboard

Quantize

This will quantize nodes to the nearest grid line

- Right click > select Quantize
- Type “q” on your keyboard

Boost x10


This will create a node that is 10 times louder. You may use the clip function to tame it.

- Right click > select Boost x10
- Select the node and type “b” on your keyboard

Load Envelope

You may load individual envelope patterns from within presets:

- Right click > select Load Envelope > select the preset and envelope slot you would like to load



① **Paint Tool** - The Paint Tool allows you to draw envelopes based on a number of available preset shapes. Each shape contains an arrangement of several nodes.

② **Paintbrush Shapes** - We have assembled an array of thirty useful brush shapes to help you quickly create rhythmic sequencers, LFOs, pseudo-sidechain effects (ducking), and more!

To select a brush, click the “down arrow” to open the brush menu, or right click the envelope while in brush mode.

When you copy a shape with less than 8 nodes, it will appear as an extra brush on the menu!

③ **Eraser Tool** - Easily erase nodes by clicking and dragging around the grid with this tool.

Envelope Modulation Controls



SMOOTH - smooths out pops and clicks while maintaining the punchiest possible envelope.

[Applies a filter that curves the peaks of the envelope itself. With 0 smoothing, the envelope is sample fast. However, when the envelope is faster than the audio it modulates, clicks may occur, the smooth slider allows you to tune the envelope to be just as fast as the audio coming in, providing the punchiest possible envelope without clicks.]


TIME - Adjusts the speed of the envelope from 0.1x to 10x.

AMP - Allows you to set the amplitude of each envelope.

PAN - Pan.

MIDI Modulation Control Panel

The MIDI Modulation Control Panel allows you to control the Time, Amp, and Pan parameters using MIDI note value input. It can be accessed by clicking on any of the three icons below the Envelope Modulation Controls.



VEL (Velocity) will affect the parameter based on the intensity of the note, ranging from 0 to 127. Is only available when using midi input (not available in AutoPlay mode).

NOTE will affect the parameter in accordance with the range of the keyboard (not available in AutoPlay mode).

RAND (Random) will adjust the parameter to a random setting every time a note is triggered.

ALT alternates between the maximum and minimum of whichever parameter it affects.

Time Rand and Alt are disabled when plugin is synced to the host (auto play is on)



QUICK TIP

- Modulate Amp by vel for velocity sensitivity
- Modulate Time by note for natural string emulations
- Modulate Pan by Alt to Alternate panning each note

Input/Output Control Bar



① **Trigger** - triggers the envelope one time. Clicking and holding will send a “note on” signal; releasing will send a “note off” signal. Trigger (and MIDI note input) will not work in Auto Play mode.

② **Input Volume** - Amplifies the signal before the signal chain, useful for driving the clip/saturation algorithm. Ranges from minus infinity to +12dB. To reset Input Volume to zero, double click the knob.

③ **Wet** - Sets the balance between the processed audio and the original source.

④ **Input Level Meters** - These meters visualise the volume of the incoming audio signal through the input amplifier (post fader). To reset the meters, simply click on them.

⑤ **Output Level Meters** - These meters visualise the volume of the output audio signal (post fader). To reset the meters, simply click on them.

⑥ **Delay** - Stereo Ping Pong Delay

WET: adjusts the amount of the delayed signal

TIME: controls the length of time between any two repetitions of your signal as defined by note duration value (i.e. 8d = dotted 8th notes).

FB (Feedback): determines the amount of repetitions



⑦ **Output Volume** - Amplifies the signal after the signal chain, useful for reducing the volume after the clip/saturation algorithm. Range: from minus infinity to +12dB. Double click to center to Zero.




⑧ **Clip** - Gatekeeper offers a simple clipping and saturation algorithm that is useful for taming the envelope while retaining its punch. This is especially useful when used with the Boost function for achieving a punchy sound!

Off - Clip is off.

Clip - Gatekeeper will clip audio at 0dB (before the output knob).

Soft Clip - Clipping will have a slight curve for a softer and rounder sound.

Additional Features & Important Information



Unipolar/Bipolar CV (Control Voltage)

This provides a Control Voltage output that can be used to control external synthesizers, specifically modular synthesizers. Hook it up to your Eurorack for some of the most elaborate envelope generators available today! To enable CV, right click on a node or any space on the Grid.

Note: Delay & Volume In do not affect the CV.

QUICK TIP



Only DC-coupled audio interfaces can generate DC signals fit to control a modular synthesizer. Expert Sleepers has an excellent website, containing a list of compatible hardware and nifty DIY tricks for using AC-coupled interfaces.

<http://www.expert-sleepers.co.uk/silentway.html>

Automating Nodes

To automate a node, right click on the node and select Automate. This will bind the node with one of the 64 automation channels available for Gatekeeper. To see which automation channel was bound to the node, right click again and the information will appear -- the first node will bind to channel 1 and so on. Each automation channel sends three separate parameters to the Host: Time (from 1 to 10 seconds), Amp, and Curve. These three parameters will be labeled: "Auto1 time, Auto1 amp, Auto1 curve".

In Pro-tools: each time you bring the automation menu for a node it will rotate between Amp, Time and Curve.

Detect MIDI CC

To use the "MIDI learn" feature, click a control and select the Detect MIDI CC option, and then move the knob or fader on your controller that you wish to associate with that control. The plugin will wait for a MIDI control change signal, and then assign the control number and channel to the corresponding control on the plugin.

MIDI Program change

You may send program changes on MIDI CC# 119 the control value will correspond to the preset order in the "myPresets" folder (the first 128).

MIDI All notes off / Panic

Sending a MIDI CC# 123 will send an "All notes off" midi command to the synthesizer. MIDI CC# 120 is a panic control - and will completely restart the plugin.

It is also possible to right-click the background of gatekeeper (not on any controller or envelope) and select "Panic"

Synchronization to host - Important information

When Gatekeeper is on "Auto Play" and the grid is set to beat divisions (not TIME), it will synchronize to the host by calculating its absolute position as if it were triggered from the start of the timeline.

This is done in order to ensure that each time you play your song, the envelope will play from the correct place. However, this does not play well with time modulation. In this case, we suggest using MIDI to trigger the envelope, or changing the grid to "Time mode".

Also, if you would not like the tempo to affect the time of the envelope, set the grid to "TIME" instead.

Keyboard Shortcuts

NODE ACTIONS

Command	Keyboard Shortcut
delete point	backspace/delete key
select all	a
copy	c
paste	v
duplicate	d
boost	backspace/delete key
quantize	q
undo	z
redo	y

GRID ACTIONS

Command	Keyboard Shortcut
Snap on/off	s
normal Grid	1
dotted Grid	2
triplet Grid	3
toggle between normal/dotted/triplet Grid	t
change Grid note value	+ or -

TOOL ACTIONS

Command	Keyboard Shortcut
toggle Tools (Edit, Brush, Eraser)	tab
Eraser Tool	e
toggle Env Mode	m
Loop toggle	l
Auto Play toggle	p

NAVIGATION ACTIONS

Command	Keyboard Shortcut
optical zoom	o
zoom in/out	[] or up/down
scroll left/right	, . or left/right



QUICK TIP

Click the help icon to see a list of the keyboard shortcuts

